

KX-B Electrical Roasting Tank, Peanut Cleaning Machine, Peanut Milling Machine, TP-A White Peanut Kernel Peeler



Peanut Roasting Line









II Main Machines

GC1000 Peanut Cleaner

Featrure: This machine is composed of charging spout, brush roll, driving part, vibration sieve, and drainage facility and inlet channel. This equipment features good cleaning effect, low crashing ratio, convenient sewage discharge, high output and no environment pollution and is a perfect processing equipment in the roasting peanut assemble line.

Tech.data: Capacity: 1000KG/1HOUR

Power: 4.0KW

Dimension: 3000*1900*1300(MM)



LY-B Peanut Sheller

Tech.data: Capacity: 1000kg/hr

Shelling ratio: ≥99%

Crushing ratio: ≤5%

Clean degree: ≥97%

Damage Ratio: ≤4%

Power: 11.5kw

Operator: 3-4 workers





Peanut Sieve

Specification: S×80 Capacity: 2.5t/h
Specification: s×100 Capacity:4t/h
Specification:s×120 Capacity: 8t/h



Peanut Drier

Capacity: 1200kg/h Power: 16.5kv Frequency: 50HZ Voltage: 380v±5

Peanut Harvesting Equipment



Peanut Digger





Peanut Planter

Peanut Digger



Grain Combine Harvester